

## Product Information

# 942 JFF5

### Product structure

<b>Backing</b>	light, extremely flexible J-weight cotton cloth
<b>Flexibility</b>	
<b>Grain Type</b>	Silicon carbide
<b>Coating</b>	semi open
<b>Top Coat</b>	<input checked="" type="checkbox"/> stearate <input type="checkbox"/> special top coat
<b>Manufactured Width</b>	<input type="checkbox"/> 1400 mm <input type="checkbox"/> 1430 mm <input checked="" type="checkbox"/> 1650 mm <input type="checkbox"/> andere
<b>Form</b>	
<b>Suitable for</b>	<input checked="" type="checkbox"/> Hand sanding <input checked="" type="checkbox"/> Hand held machine sanding <input checked="" type="checkbox"/> Machine sanding



### Grits

Ceramic, zirconia, # and \* = non P-Grits

<input type="checkbox"/> P 12	<input type="checkbox"/> P 16	<input type="checkbox"/> P 24	<input type="checkbox"/> P 30	<input type="checkbox"/> P 36	<input type="checkbox"/> P 40	<input type="checkbox"/> P 50	<input type="checkbox"/> P 60	<input type="checkbox"/> P 80	<input type="checkbox"/> P 100	<input type="checkbox"/> P 120	<input type="checkbox"/> P 150	<input type="checkbox"/> P 180	<input type="checkbox"/> P 220	<input type="checkbox"/> P 240
<input type="checkbox"/> P 280	<input type="checkbox"/> P 320	<input type="checkbox"/> P 360	<input checked="" type="checkbox"/> P 400	<input type="checkbox"/> P 500	<input checked="" type="checkbox"/> P 600	<input checked="" type="checkbox"/> P 800	<input checked="" type="checkbox"/> P 1.000	<input type="checkbox"/> P 1.200	<input type="checkbox"/> P 1.500	<input type="checkbox"/> P 2.000	<input type="checkbox"/> P 2.500	<input type="checkbox"/> ST 3.000*	<input type="checkbox"/> ST 5.000*	<input type="checkbox"/> ST 7.000*

### Materials

Aluminium	Non-ferrous metal	Stainless steel	Steel	Titanium	Paint lacquer	Glass	Wood	Plastics	Stone/china
-----------	-------------------	-----------------	-------	----------	---------------	-------	------	----------	-------------

### Application examples



Sanitary fittings



Musical instruments



Plastic automotive door handles

- Very good assimilation to extremely moulded work-pieces due to the light and highly flexible backing
- Long service life due to self sharpening abrasive grain and chip repellent size coat
- Achieving high class surfaces due to precisely coated silicon carbide abrasive grain

